

PREMIUM
DOORS

ENTRANCE & INTERIOR
DOOR DESIGNS

www.premiumdoors.co.nz

info@premiumdoors.co.nz




Insulation structure

invisible hinge


intelligent anti-theft lock

bottom sealing strip

Internal filling



Aluminum Honeycomb




xps insulation material

surface material



cast aluminum plate




glass or steel plate



hdf of plywood

Insulation structure design



Automotive grade epdm sealing strip

Thermal insulation flame retardant cotton

- Thermal insulation up as low as 0.75w(m²k)
- Noise reduction up to 35 db
- Security up to RC2
- Locking Multi-point locking
- Construction depth 93mm



inside and outside flush



double cavity-filled structure with expansion insert for thermal stability



5-lever locking as standard for highest security



EX-01



EX-02



EX-03



EX-04



EX-05



EX-06



EX-07



EX-08



LE-01



LE-02



LE-03



LE-04



EX-09



EX-10



EX-11



EX-12



EX-13



EX-14



EX-15



EX-16



EX-25




EX-26



EX-27



EX-28



EX-29



EX-30



EX-31



EX-32





WE-01



WE-02



WE-03



WE-04



WE-09



WE-10



WE-11



WE-12



WE-21



WE-22



WE-23



WE-24



STRUCTURE DISPLAY



For more interior door structures please contact us



Interior door series



IN-45



IN-46



IN-47



IN-48



IN-05



IN-06



IN-07



IN-08



IN-45



IN-46



IN-47



IN-48





IN-13



IN-14



IN-15



IN-16



IN-45



IN-46



IN-47



IN-48



IN-21



IN-22



IN-23



IN-24



IN-25



IN-26




IN-27




IN-28



IN-45




IN-46



IN-47




IN-48



IN-45



IN-46



IN-47



IN-48



IN-37



IN-38



IN-39



IN-40



IN-41



IN-42



IN-43



IN-44



IN-45



IN-46



IN-47



IN-48